

2019冠狀病毒病死亡個案報告初步數據分析

(2021年12月31日至2023年1月18日 00:00)

Provisional Data Analysis on COVID-19 Reported Death Cases

(from 31 Dec 2021 up till 18 Jan 2023 00:00)



版本日期:2023年1月19日
Version date: 19 Jan 2023

資料來源：衛生署衛生防護中心 Source: Centre for Health Protection of the Department of Health

特別感謝醫院管理局提供進一步資料以協助分析 Special thanks to the Hospital Authority for provision of further information to facilitate analysis


新冠疫苗能保護個人，預防2019冠狀病毒病的嚴重疾病和併發症。在本港，接種兩或三劑新冠疫苗個案的死亡率遠低於未接種的個案。就此，政府強烈建議合資格人士（尤其是12歲以下及60歲以上人士）應盡快接種疫苗。

COVID-19 vaccines can protect individuals from severe illnesses and complications from COVID-19. Locally, **cases vaccinated with 2 or 3 doses have much lower fatality rate than the unvaccinated.** With that, the Government strongly recommended eligible persons (especially those aged under 12 as well as those aged 60 and above) to get vaccinated as soon as possible.

第5波死者個案 Deceased in the 5th Wave[@]

累計數目 Cumulative number	12,747
年齡範圍 Age range	0 - 112
年齡中位數 Median	86
男性與女性比例 Male to female ratio	1.37

疫苗接種史* Vaccination History




- 已接種四劑(滿14天) Received 4 doses (reached 14 days)
- 已接種三劑(滿14天) Received 3 doses (reached 14 days)
- 已接種兩劑(滿14天) Received 2 doses (reached 14 days)
- 已接種一劑(滿14天) Received 1 dose (reached 14 days)
- 沒有接種疫苗# Unvaccinated#

約六成沒有
接種疫苗#
About 60%
were unvaccinated#

包括已接種一劑但未滿
14天的人士 Including
those that have received 1
dose but not yet reached
14 days


居住院舍情況* Residential Care Home (RCH) Status



- 院舍人士 RCH Residents
- 非院舍人士 Non-RCH Residents

超過四成為居於院舍人士
More than 40% were
RCH residents

長期病患歷史情況* History of Known Chronic Diseases




- 已知有長期病患 With known chronic diseases
- 沒有長期病患歷史 No history of chronic diseases

超過九成有已知長期病患情況
More than 90% were
with known chronic diseases

@ 不包括輸入個案 Excluding imported cases * 不包括待定個案 Excluding pending cases

按年齡組別和疫苗接種情況*劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status*

- 超過**95%**死亡個案為**60歲**或以上長者
- 接種首劑疫苗已有明顯保護力
- 依時接種第二和第三劑疫苗，可進一步提高保護力
- 早接種，早保護
- **Over 95% fatal cases were elderly aged 60 years or above**
- **Having the first dose already offers observable protection**
- **Timely having the second and the third doses can enhance protection**
- **Early vaccination for early protection**



* 計算是根據個別個案的呈報日期，相對於疫苗接種日期之時間間隔。這額外對計算疫苗劑數的方法是由2022年4月7日開始應用，包括追溯所有過往數據。





It is counted based on the date of case reporting of each reported case with respect to the date of vaccination to arrive at the time interval. This additional counting method for 'no. of vaccine doses received' is implemented starting from 7 April 2022, including all retrospective data.

包括已接種一劑但未滿14天的人士 Including those that have received 1 dose but not yet reached 14 days

- 新型冠狀病毒測試結果呈陽性的個案，如果在首次陽性樣本收集日期的28日內死亡，則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與2019冠狀病毒病無關。
- 由於第五波疫情尚未結束，分析以上的臨時數據時必需謹慎，可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

接種任何三劑疫苗，死亡風險大幅減少，特別是較年長的年齡組別
Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group

接種三劑疫苗相對沒有接種疫苗的死亡率（以20歲或以上年齡組別劃分）
Case fatality rate of 3 dose vaccine as compared against unvaccinated by age groups of 20+



包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

按年齡組別及疫苗接種情況劃分的死亡率 Case Fatality Rate by Age Group and Vaccination Status

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
總計 Grand total	0.01%	0.00%	0.00%	0.01%	0.01%	0.02%	0.09%	0.28%	1.11%	6.94%	0.05%	0.46%
沒有接種疫苗# Unvaccinated#	0.01%	0.01%	0.02%	0.03%	0.03%	0.13%	0.58%	1.58%	4.29%	14.45%	N/A	2.04%
接種一劑疫苗總計 1 Dose – Overall	0.00%	0.01%	0.01%	0.01%	0.03%	0.05%	0.20%	0.55%	1.55%	7.18%	N/A	1.00%
接種一劑克爾來福 1 Dose – CoronaVac	0.00%	0.01%	0.00%	0.03%	0.03%	0.08%	0.22%	0.56%	1.65%	7.29%	N/A	1.43%
接種一劑復必泰 1 Dose – Comirnaty	0.00%	0.02%	0.01%	0.00%	0.03%	0.00%	0.16%	0.49%	1.01%	6.02%	N/A	0.27%
接種一劑其他 1 Dose – Others	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	N/A	N/A	0.00%
接種兩劑疫苗總計 2 Doses – Overall	0.00%	0.00%	0.00%	0.01%	0.00%	0.02%	0.07%	0.18%	0.68%	4.02%	N/A	0.20%
接種兩劑克爾來福 2 Doses – CoronaVac	0.00%	0.00%	0.00%	0.02%	0.00%	0.02%	0.09%	0.22%	0.79%	4.46%	N/A	0.39%
接種兩劑復必泰 2 Doses – Comirnaty	0.00%	0.00%	0.00%	0.01%	0.00%	0.02%	0.06%	0.13%	0.44%	2.27%	N/A	0.06%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.25%	0.00%	0.00%	1.45%	N/A	0.07%
接種三劑疫苗總計 3 Doses – Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.03%	0.09%	0.39%	2.81%	N/A	0.14%
接種三劑克爾來福 3 Doses – CoronaVac	0.00%	0.00%	0.01%	0.00%	0.01%	0.01%	0.04%	0.14%	0.49%	3.15%	N/A	0.31%
接種三劑復必泰 3 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.03%	0.05%	0.26%	1.65%	N/A	0.04%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.01%	0.07%	0.19%	1.89%	N/A	0.06%
接種四劑疫苗總計 4 Doses – Overall	0.00%	0.00%	0.00%	0.00%	0.00%	0.01%	0.01%	0.07%	0.25%	1.89%	N/A	0.23%
接種四劑克爾來福 4 Doses – CoronaVac	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.08%	0.29%	2.21%	N/A	0.37%
接種四劑復必泰 4 Doses – Comirnaty	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.03%	0.09%	0.19%	1.16%	N/A	0.12%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	0.02%	0.22%	1.00%	N/A	0.09%

- 接種任何三劑疫苗，死亡風險大幅減少，特別是較年長的年齡組別
- 只要接種首劑疫苗，死亡風險也會顯著減少
- **Receiving 3 doses of any vaccines greatly reduces death risk especially in the older age group**
- **Getting the first jab would also significantly reduce death risk**

- 新型冠狀病毒測試結果呈陽性的個案，如果在首次陽性樣本收集日期的28日內死亡，則會被列為2019冠狀病毒病的死亡個案。死者的死因可能與2019冠狀病毒病無關。
- 由於第五波疫情尚未結束，分析以上的臨時數據時必需謹慎，可能需要更長時間以收集更多數據或等待第五波完結後才能得出更有效的結論。
- COVID-19 death case is defined as a death in a person with positive SARS-CoV-2 result and died within 28 days of the first positive specimen collection day. The underlying cause of death may have been unrelated to COVID-19.
- As the 5th wave is still ongoing, the above provisional data need to be interpreted carefully. More significant conclusion can only be drawn when more data are available or when the 5th wave is over.

以年齡組別及疫苗接種情況劃分之第 5 波本地感染個案呈報數目（經核酸檢測／快速抗原測試）

Number of Reported Locally Acquired COVID-19 Cases (By PCR or RAT) since 5th Wave by Age Group and Vaccination Status

疫苗接種情況（在個案報告日期已滿14天） Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
總計 Grand total	36,235	183,446	149,549	311,979	456,684	455,239	438,377	389,521	189,226	129,528	11,081	2,750,865
沒有接種疫苗# Unvaccinated#	33,363	73,347	12,348	34,343	48,698	34,302	29,819	36,406	27,056	38,230	N/A	367,912
接種一劑疫苗總計 1 Dose – Overall	1,311	20,385	15,287	12,316	19,368	15,201	16,735	24,761	17,927	15,743	N/A	159,034
接種一劑克爾來福 1 Dose – CoronaVac	1,185	16,159	2,673	3,260	7,815	8,885	11,745	19,036	15,050	14,298	N/A	100,106
接種一劑復必泰 1 Dose – Comirnaty	125	4,224	12,612	9,038	11,544	6,307	4,987	5,712	2,872	1,445	N/A	58,866
接種一劑其他 1 Dose – Others	1	2	2	18	9	9	3	13	5	0	N/A	62
接種兩劑疫苗總計 2 Doses – Overall	1,364	61,218	46,585	118,640	151,702	132,044	128,596	109,179	46,151	24,454	N/A	819,933
接種兩劑克爾來福 2 Doses – CoronaVac	1,356	42,140	8,427	17,871	35,557	51,412	67,737	65,062	31,403	19,492	N/A	340,457
接種兩劑復必泰 2 Doses – Comirnaty	7	18,755	37,844	100,405	115,635	80,164	60,465	43,820	14,614	4,893	N/A	476,602
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	1	323	314	364	510	468	394	297	134	69	N/A	2,874
接種三劑疫苗總計 3 Doses – Overall	171	28,397	75,092	144,157	230,692	260,718	241,248	183,031	77,989	41,903	N/A	1,283,398
接種三劑克爾來福 3 Doses – CoronaVac	81	26,792	13,920	18,263	45,945	83,181	100,474	89,422	46,629	32,161	N/A	456,868
接種三劑復必泰 3 Doses – Comirnaty	73	539	53,777	114,359	164,571	147,509	110,977	73,417	24,538	7,573	N/A	697,333
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	17	1,066	7,395	11,535	20,176	30,028	29,797	20,192	6,822	2,169	N/A	129,197
接種四劑疫苗總計 4 Doses – Overall	26	99	237	2,523	6,224	12,974	21,979	36,144	20,103	9,198	N/A	109,507
接種四劑克爾來福 4 Doses – CoronaVac	12	44	68	612	1,891	4,794	8,935	17,070	11,106	6,556	N/A	51,088
接種四劑復必泰 4 Doses – Comirnaty	6	34	106	1,048	2,842	5,059	7,970	11,052	5,326	1,639	N/A	35,082
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	8	21	63	863	1,491	3,121	5,074	8,022	3,671	1,003	N/A	23,337

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

N/A = 不適用 Not applicable

以年齡組別及疫苗接種情況劃分之第 5 波呈報死亡個案數目

Number of COVID-19 Reported Deaths since 5th Wave by Age Group and Vaccination Status

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age Group											總計 Grand Total
	<3	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	待定 Pending	
總計 Grand total	4	8	6	19	35	96	375	1,108	2,102	8,989	5	12,747
沒有接種疫苗# Unvaccinated#	4	5	3	9	16	46	173	576	1,160	5,524	N/A	7,516
接種一劑疫苗總計 1 Dose – Overall	0	2	1	1	5	7	34	135	277	1,130	N/A	1,592
接種一劑克爾來福 1 Dose – CoronaVac	0	1	0	1	2	7	26	107	248	1,043	N/A	1,435
接種一劑復必泰 1 Dose – Comirnaty	0	1	1	0	3	0	8	28	29	87	N/A	157
接種一劑其他 1 Dose – Others	0	0	0	0	0	0	0	0	0	0	N/A	0
接種兩劑疫苗總計 2 Doses – Overall	0	1	1	9	4	21	94	200	312	982	N/A	1,624
接種兩劑克爾來福 2 Doses – CoronaVac	0	1	0	3	0	8	59	141	247	870	N/A	1,329
接種兩劑復必泰 2 Doses – Comirnaty	0	0	1	6	4	13	34	59	65	111	N/A	293
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0	0	0	0	0	0	1	0	0	1	N/A	2
接種三劑疫苗總計 3 Doses – Overall	0	0	1	0	10	21	72	172	303	1,179	N/A	1,758
接種三劑克爾來福 3 Doses – CoronaVac	0	0	1	0	4	8	41	122	227	1,013	N/A	1,416
接種三劑復必泰 3 Doses – Comirnaty	0	0	0	0	5	10	28	35	63	125	N/A	266
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	0	0	0	0	1	3	3	15	13	41	N/A	76
接種四劑疫苗總計 4 Doses – Overall	0	0	0	0	0	1	2	25	50	174	N/A	252
接種四劑克爾來福 4 Doses – CoronaVac	0	0	0	0	0	0	0	13	32	145	N/A	190
接種四劑復必泰 4 Doses – Comirnaty	0	0	0	0	0	1	2	10	10	19	N/A	42
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0	0	0	0	0	0	0	2	8	10	N/A	20

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days
N/A = 不適用 Not applicable

比較本地感染呈報個案與死亡個案之疫苗接種情況百分比分布(以20歲或以上年齡組別劃分)

臨時數據
Provisional data

Comparison between Reported Locally Acquired Cases and Deceased Cases on % Distribution of Vaccination Status by Age Groups of 20 or above

疫苗接種情況 (在個案報告日期已滿14天) Vaccination Status (reached 14 days as at case report date)	年齡組別 Age groups									
	20 – 39		40 – 59		60 – 69		70 – 79		80+	
	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths	佔所有本地 個案% % of total local cases	佔所有死亡 個案% % of total deaths
沒有接種疫苗 # Unvaccinated #	10.8%	46.3%	7.2%	46.5%	9.3%	52.0%	14.3%	55.2%	29.5%	61.5%
接種一劑克爾來福 1 Dose – CoronaVac	1.4%	5.6%	2.3%	7.0%	4.9%	9.7%	8.0%	11.8%	11.0%	11.6%
接種一劑復必泰 1 Dose – Comirnaty	2.7%	5.6%	1.3%	1.7%	1.5%	2.5%	1.5%	1.4%	1.1%	1.0%
接種一劑其他疫苗 1 Dose – Others	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
接種兩劑克爾來福 2 Doses – CoronaVac	7.0%	5.6%	13.3%	14.2%	16.7%	12.7%	16.6%	11.8%	15.0%	9.7%
接種兩劑復必泰 2 Doses – Comirnaty	28.1%	18.5%	15.7%	10.0%	11.2%	5.3%	7.7%	3.1%	3.8%	1.2%
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	0.1%	0.0%	0.1%	0.2%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%
接種三劑克爾來福 3 Doses – CoronaVac	8.4%	7.4%	20.6%	10.4%	23.0%	11.0%	24.6%	10.8%	24.8%	11.3%
接種三劑復必泰 3 Doses – Comirnaty	36.3%	9.3%	28.9%	8.1%	18.8%	3.2%	13.0%	3.0%	5.8%	1.4%
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	4.1%	1.9%	6.7%	1.3%	5.2%	1.4%	3.6%	0.6%	1.7%	0.5%
接種四劑克爾來福 4 Doses – CoronaVac	0.3%	0.0%	1.5%	0.0%	4.4%	1.2%	5.9%	1.5%	5.1%	1.6%
接種四劑復必泰 4 Doses – Comirnaty	0.5%	0.0%	1.5%	0.6%	2.8%	0.9%	2.8%	0.5%	1.3%	0.2%
接種四劑其他疫苗組合 4 Doses – Other vaccine combination	0.3%	0.0%	0.9%	0.0%	2.1%	0.2%	1.9%	0.4%	0.8%	0.1%
總計 Grand total	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

包括已接種一劑但未滿 14 天的人士 Including those that have received 1 dose but not yet reached 14 days

以年齡組別及疫苗接種情況劃分之曾在香港已接種至少一劑疫苗的人口 ~ Population ever vaccinated in Hong Kong by Age Group and Vaccination Status ~

臨時數據
Provisional data

疫苗接種情況 (滿14天) Vaccination Status (reached 14 days)	年齡組別 Age Group [^]										總計 Grand Total
	<3 [§]	3 - 11	12 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70 - 79	80+	
2021年年底人口 End-2021 resident population	123,600	502,600	447,300	771,900	1,094,500	1,160,300	1,191,300	1,122,100	591,300	398,200	7,403,100
曾在香港已接種至少一劑疫苗的人口 (=a+b+c+d) Population ever vaccinated in Hong Kong	24,978	451,599	466,033	816,952	1,133,900	1,193,937	1,181,401	1,016,856	499,105	287,457	7,072,218
接種一劑疫苗總計 1 Dose – Overall (a)	8,573	42,137	9,680	9,560	12,341	8,072	7,247	8,850	6,744	9,767	122,971
接種一劑克爾來福 1 Dose – CoronaVac	6,554	22,862	1,831	2,731	5,207	4,339	4,382	5,963	5,194	8,448	67,511
接種一劑復必泰* 1 Dose – Comirnaty*	2,019	19,275	7,849	6,829	7,134	3,733	2,865	2,887	1,550	1,319	55,460
接種兩劑疫苗總計 2 Doses – Overall (b)	14,785	235,014	92,899	151,774	180,181	134,598	104,983	87,965	43,470	34,550	1,080,219
接種兩劑克爾來福 2 Doses – CoronaVac	14,603	154,461	13,966	22,950	41,065	44,234	47,136	49,287	29,557	27,801	445,060
接種兩劑復必泰* 2 Doses – Comirnaty*	10	78,040	75,539	125,238	136,060	87,457	55,759	37,307	13,327	6,482	615,219
接種兩劑其他疫苗組合 2 Doses – Other vaccine combination	172	2,513	3,394	3,586	3,056	2,907	2,088	1,371	586	267	19,940
接種三劑疫苗總計 3 Doses – Overall (c)	1,620	174,356	357,611	616,776	867,372	925,926	874,342	687,405	323,222	187,414	5,016,044
接種三劑克爾來福 3 Doses – CoronaVac	1,306	156,684	46,469	79,528	180,481	292,474	359,122	347,003	200,474	145,010	1,808,551
接種三劑復必泰* 3 Doses – Comirnaty*	0	6,264	265,775	457,406	592,139	520,947	412,895	273,912	99,056	33,974	2,662,368
接種三劑克爾來福和復必泰*組合 3 Doses – Combination of CoronaVac and Comirnaty*	149	3,113	25,994	37,762	67,656	90,557	83,889	54,502	18,972	7,409	390,003
接種三劑其他疫苗組合 3 Doses – Other vaccine combination	165	8,295	19,373	42,080	27,096	21,948	18,436	11,988	4,720	1,021	155,122
接種四劑或以上疫苗總計 4 Doses or more – Overall (d)	0	92	5,843	38,842	74,006	125,341	194,829	232,636	125,669	55,726	852,984
接種四劑或以上克爾來福 4 Doses or more – CoronaVac	0	71	542	4,089	13,473	29,877	58,589	91,516	59,748	35,136	293,041
接種四劑或以上復必泰* 4 Doses or more – Comirnaty*	0	12	2,911	14,632	38,977	61,464	86,299	83,858	40,812	13,237	342,202
接種四劑或以上克爾來福和復必泰*組合 4 Doses or more – Combination of CoronaVac and Comirnaty*	0	5	681	7,005	13,777	26,146	40,204	48,590	21,328	6,555	164,291
接種四劑或以上其他疫苗組合 4 Doses or more – Other vaccine combination	0	4	1,709	13,116	7,779	7,854	9,737	8,672	3,781	798	53,450

~ 就本統計分析而言，由2022年9月15日起，統計數字只包括曾在香港已接種至少一劑疫苗的人口（該些人士可能同時在香港以外地方接種其他劑次）。於分析該些人士已接種疫苗劑數時，已考慮在香港以外地方的疫苗接種記錄。比較9月14日發佈的數字，減少約20萬以反映以上技術性修訂。For the purpose of this statistical analysis, starting from 15 September 2022, the statistics cover population ever vaccinated in HK (the individuals may also have doses taken outside HK). Vaccine dose(s) taken outside HK by these individuals have been taken into account in the analysis of the number of doses taken. As compared to the statistics reported on 14 September, the aforementioned technical refinements result in a reduction of 200,000 persons.

^ 年齡是根據接種第一劑疫苗的日期計算。Age is calculated based on the date of first vaccine dose.

§ 年齡介乎六個月至三歲的幼兒由2022年8月4日開始可於香港接種2019冠狀病毒疫苗。Toddlers aged from six months to three years may receive the COVID-19 vaccine in Hong Kong starting from 4 August 2022.

@ 2019冠狀病毒疫苗接種計劃下的合資格接種人士，除了香港居民外，還包括以下類別的非香港居民：（1）持「往來港澳通行證」（慣稱「雙程證」）獲准逗留香港，並且無需延期也可以在逗留期限屆滿前完成接種兩劑疫苗的訪客；（2）免遣返申請人及獲聯合國難民署確認為難民的人士；及（3）在香港逗留的其他訪客（必須持有有效旅遊證件在香港合法逗留，並且無需延期而可以在逗留期限屆滿前完成接種兩劑疫苗）。這些合資格接種的非香港居民或未有包含在合資格接種人口基數內。所以，已在香港/其他地方接種至少一劑的人口數字可能多過香港居民人口數字。此外，由於有關的人口基數非實時數字，與實際情況或會有偏差，因此，沒有接種疫苗的估算人口可以是負數而沒有在報告中顯示。Apart from Hong Kong residents, eligible persons under the COVID-19 Vaccination Programme also include the following categories of non-Hong Kong residents: (1) holders of the Exit-entry Permit for Travelling to and from Hong Kong and Macao who can complete two doses of vaccination within their limit of stay without extension; (2) non-refoulement claimants and refugees recognised by the Office of the United Nations High Commissioner for Refugees; and (3) other visitors staying in Hong Kong (holders of valid travel documents who are allowed to stay in Hong Kong as permitted by the law, and can complete two doses of vaccination within their limit of stay without extension). These non-Hong Kong residents who are eligible to receive vaccination may not be included in the baseline population eligible to receive vaccination. Therefore, the population ever vaccinated in Hong Kong/elsewhere may be greater than the Hong Kong resident population. Separately, the relevant baseline population is not based on real time figures and there may be deviations from the actual situation. As a result, the estimated unvaccinated population may be a negative number and thus not shown in the report.

* 復必泰疫苗包括「復必泰原始株疫苗」和「復必泰二價疫苗」。Comirnaty vaccine includes “Comirnaty Original Strain” vaccine and “Comirnaty Bivalent” vaccine.

有用資訊 Useful Information

第5波最新疫情 Latest Epidemic Situation of 5th Wave

https://www.covidvaccine.gov.hk/pdf/5th_wave_statistics.pdf



死亡個案報告初步分析數據資料庫

https://www.coronavirus.gov.hk/chi/death_analysis.html



Archive of Statistics on Provisional Analysis on Reported Death Cases

https://www.coronavirus.gov.hk/eng/death_analysis.html



更多相關數據

https://www.chp.gov.hk/files/pdf/local_situation_covid19_tc.pdf



More relevant statistics

https://www.chp.gov.hk/files/pdf/local_situation_covid19_en.pdf



立即預約接種疫苗

https://booking.covidvaccine.gov.hk/forms/index_tc.jsp



Book vaccination now

<https://booking.covidvaccine.gov.hk/forms/index.jsp>



2019冠狀病毒病疫苗接種計劃專題網站

<https://www.covidvaccine.gov.hk/zh-HK>



COVID-19 Vaccination Programme Thematic Website

<https://www.covidvaccine.gov.hk/en>



2019冠狀病毒病專題網站

<https://www.coronavirus.gov.hk/chi/index.html>



COVID-19 Thematic Website

<https://www.coronavirus.gov.hk/eng/index.html>

